

Appl. No. **TO BE ASSIGNED**
 Amdt. dated March 25, 2005
 Preliminary Amendment

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:


LISTING OF CLAIMS:

Claim 1 (original). A flame retardant styrenic resin composition comprising:

(A) 70 to 99.5 parts by weight of a rubber-modified polystyrene resin; and

(B) 0.5 to 20 parts by weight of a ring-shaped alkyl phosphonic acid ester

compound represented by the following formula (I):



wherein R_1 and R_2 are independently of each other C_1 - C_4 alkyl and x is 0 or 1.

Claim 2 (canceled).

Claim 3 (currently amended). The flame retardant styrenic resin composition as defined in claim 1, further comprising ~~less than~~ up to 10 parts by weight of a polyphenylene ether (C).


Claim 4 (original). The flame retardant styrenic resin composition as defined in claim 3, wherein said polyphenylene ether (C) is poly(2,6-dimethyl-1,4-phenylene)ether.

Claim 5 (original). The flame retardant styrenic resin composition as defined in claim 1, which further comprises up to 50 parts by weight of an additive selected from the group consisting of plasticizers, heat stabilizers, anti-oxidants, light stabilizers, compatibilizers, pigment, dye and/or inorganic filler per 100 parts by weight of rubber modified styrenic resin (A).

Claim 6 (canceled).

Claim 7 (canceled).

Claim 8 (new). A flame retardant styrenic resin composition comprising:
(A) 70 to 99.5 parts by weight of a rubber-modified polystyrene resin; and
(B) 0.5 to 6 parts by weight of a ring-shaped alkyl phosphonic acid ester compound represented by the following formula (I):




wherein R_1 and R_2 are independently of each other C_1 - C_4 alkyl and x is 0 or 1.

Claim 9 (new). A flame retardant styrenic resin composition comprising:
(A) 70 to 99.5 parts by weight of a rubber-modified polystyrene resin; and
(B) 0.5 to 2 parts by weight of a ring-shaped alkyl phosphonic acid ester compound represented by the following formula (I):

Appl. No. **TO BE ASSIGNED**

Amdt. dated March 25, 2005

Preliminary Amendment



wherein R_1 and R_2 are independently of each other C_1 - C_4 alkyl and x is 0 or 1.

Claim 10 (new). A flame retardant styrenic resin composition comprising:

- (A) 70 to 99.5 parts by weight of a rubber-modified polystyrene resin; and
(B) 0.5 to 20 parts by weight of methyl-bis (5-ethyl-2-methyl-1,3,2-dioxaphorinan-5yl)
methyl methyl phosphonic acid ester P-oxide or methyl- bis(5-ethyl-2-methyl-
1,3,2-dioxaphorinan-5yl) phosphonic acid ester P, P'-dioxide or a mixture thereof.